

Work Order ID 72909

Wednesday, August 17, 2011 2:50:09 PM



Page 1

Item ID: D4279-7

Accept



Setup Start



Revision ID:

Stop



Item Name: End Mesh, Basket

Start Date: 8/17/2011 Start Qty: 2.00



Cust Item ID:

Required Date: 8/25/2011 Req'd Qty: 2.00



Customer:

Reference:

Approvals:

Process Plan:

Date: 8-17-11

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

D4279

B

100

0.00



FLOW WATER JET

Waterjet

Memo

0.00

FLOW CNC Waterjet

WES17

1-Cut as per Dwg

Dwg Rev: B

Prog Rev: B

2-Deburr if necessary

B11-8-18

110

QC2- Inspect parts off machine FAI/FAIB

0.00



QC

Memo

0.00

Quality Control

CUT OUTS WILL BE CUT BY WELDERS WHEN INSTALL ON BASKET

B11-8-18

120

QC8- Inspect parts - second check

0.00



QC

Memo

0.00

Quality Control

CUT OUTS WILL BE CUT BY WELDERS WHEN INSTALL ON BASKET

8 w/6/18

(72)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 72909

Wednesday, August 17, 2011 2:50:09 PM

Page 2

Item ID: D4279-7

Accept

Revision ID:

Item Name: End Mesh, Basket

Start Date: 8/17/2011 Start Qty: 2.00

Required Date: 8/25/2011 Req'd Qty: 2.00

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Run Start

Stop

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

130

Identify as per dwg & Stock Location: *B/C*

0.00



Packaging

Memo

0.00

Packaging

STOCK IN BASKET CELL

(x2)

8/11-08-29

140

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

8/18/29

8/11-08-29

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Wednesday, August 17, 2011 2:50:19 PM

Page 1

Work Order ID: 72909



Parent Item: D4279-7



Parent Item Name: End Mesh, Basket

Start Date: 8/17/2011

Required Date: 8/25/2011

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP Rev:A 10.11.12 new issue DD verf:EC
11.01.20 AS PER DWG REV.B DD verf:EC

IPP Rev:B

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

M304EX0.75-16F

Purchased

No

100

sf

972.3487

2.2

4.631579



B11-2-18

Expanded Metal Flat SS

Location

Loc Qty

Loc Code

MAT

11.5607

117708

11.5607

WA

960.788

115012

95

117197

102.9036

117455

16.0341

117896

53.3264

118153

98.6394

118248

33.0983

118450

241.7862

118597

320

117708


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



SHOP COPY
 RETURN TO
 ENGINEERING
 UNCONTROLLED COPY
 SUBJECT TO AMENDMENT
 WITHOUT NOTICE
 WORK ORDER
 NO. 72909

11-08-19


RELEASED
 2010-12-06
MD


D4279-1 MESH - BASE

NOTES:

- 1) MATERIAL: MAKE FROM D4279-1F
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: SEE D4279-1F
- 8) PRE-FORMING OF MESH PER SHOP OPTION, THIS VIEW MAY BE USED FOR REF ONLY.

B	-3F: 6.50 WAS 20.90 (B5-4); REDESIGN -9 (SHT 7); ADD -11/-11F (SHT 8/9), 48.0 WAS 50.50 (C2-2, C7-9), CUTOUTS ON -9 NOW TRIMMED ON INSTALL (A6-5)	CP	10.11.30
A	NEW ISSUE	SC	10.11.25
REV.	DESCRIPTION	BY	DATE
DESIGN	JPH	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	<i>[Signature]</i>		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	D4279	SHEET 1 OF 9
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	MESH - BASKET	NTS
DATE	10.11.30	COPYRIGHT © 2016 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	





D4279-3 MESH-CHAMFER


72909

RELEASED
2010-12-06

NOTES:

- 1) MATERIAL: MAKE FROM D4279-3F
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 EXCEPT ON XX.XX DIMS ± 0.06 .
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: SEE D4279-3F
- 8) PRE-FORMING OF MESH PER SHOP OPTION, THIS VIEW MAY BE USED FOR REF ONLY.


DESIGN	JPH	DART AEROSPACE LTD	
DRAWN	<i>[Signature]</i>	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	D4279	SHEET 3 OF 9
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	MESH - BASKET	NTS
DATE	10.11.30	<small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESSED UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	




D4279-3F MESH-CHAMFER
(LOCAL SECTION MESH SHOWN FOR CLARITY)

- NOTES:
- 1) MATERIAL: AISI 304/316 EXPANDED STAINLESS STEEL MESH 3/4-16F
REF DART SPEC. M304EX0.75-16F
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 EXCEPT ON XX.XX DIMS ±0.06.
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 0.9 lbs APPROX
 - 8) TRIM ON INSTALLATION

DESIGN	JPH	DART AEROSPACE LTD	
DRAWN	<i>[Signature]</i>	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	D4279	SHEET 4 OF 9
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	MESH - BASKET	NTS
DATE	10.11.30	<small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	






D4279-7 END MESH, BASKET


RELEASED
2010-12-06
W


NOTES:

- 1) MATERIAL: AISI 304/316 EXPANDED STAINLESS STEEL MESH 3/4-16F
REF DART SPEC. M304EX0.75-16F
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 EXCEPT ON XX.XX DIMS ± 0.06 .
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.015 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.71 lbs
- 8) TRIM ON INSTALLATION TO CLEAR HOLES (IF PRESENT) B

DESIGN	JPH	DART AEROSPACE LTD	
DRAWN	93	HAWKESBURY, ONTARIO, CANADA	
CHECKED	WJD	DRAWING NO.	REV. B
MFG. APPR.	WJD	D4279	SHEET 6 OF 8
APPROVED	WJD	TITLE	SCALE
DE APPR.	WJD	MESH - BASKET	NTS
DATE	10.11.30	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			







D4279-11F MESH, BASE
(LOCAL SECTION MESH SHOWN FOR CLARITY)

172909

RELEASED
2010-12-06
MD

NOTES:

- 1) MATERIAL: AISI 304/316 EXPANDED STAINLESS STEEL MESH 3/4-16F
REF DART SPEC. M304EX0.75-16F
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 EXCEPT ON XX.XX DIMS ± 0.06 .
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 2.7 lbs APPROX
- 8) TRIM ON INSTALLATION

DESIGN	JPH	DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D4279	SHEET 9 OF 9
APPROVED		TITLE	SCALE
DE APPR.		MESH - BASKET	NTS
DATE	10.11.30	<small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	